

DADAYAN, V.S.

"A model of interdistrict relationships in a single system optimum plan of the economy."

Report to be submitted for the 4th European Congress of the Regional Science Association, 14-17 Jul 64, at the Seminar for Applied Economics, State University of Ghent, Ghent, Belgium.

NEMCHINOV, Vasilij Sergeevich, akademik [deceased]; KANTER,
A.I., red.; DADAYAN, V.S., kand. ekon. nauk, red.

[Economics and mathematics] Ekonomika i matematika. Mo-
skva, Izd-vo "Znanie," 1965. 67 p. (Narodnyi universitet:
Tekhniko-ekonomicheskii fakul'tet, no.6) (MIRA 18:7)

1. DADAYEV, A. N.

2. USSR (600)

4. Stars, Variable

7. Supplementary tables for determining the elements of eclipsing systems whose components are not identically ellipsoidal. Izv. Clav. astron. obs., 1, NO. 6, 1951

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

DADAYEV, A. N.

Study of Hot Supergiants in Systems of Eclipsing Binaries. Izv. Clav. Astron. Observ. v Pulkove, No. 5, 1954, 31-86.

Photometry of continuous spectra of AO Cassiopeia and Beta Lyrae is studied. Curves of brightness and of color are plotted using photoplates of Stebbins and Gutnick. Elements of orbits are computed and hypotheses of massless streams are discussed. (RZhAstr, No. 9, 1954)

SO: M-31128, 11 Jan 55

DADAEV, A.N.

USSR/ Scientific Organization - Astronomy

Card 1/1 : Pub. 124 - 6/38

Authors : Dadaev, A. N., Cand. of Phys-Math. Sc.

Title : The New Pulkovo

Periodical : Vest. AN SSSR 8, 48-55, Aug 1954

Abstract : Report on the reopening of the reconstructed main astronomical observatory of the Academy of Sciences USSR in Pulkovo. Names of Soviet and foreign scientists (including USA and England) attending the opening of the institute, are listed. Illustrations showing front and rear views of the observatory, some of its optical equipment and a group of foreign participants, are included.

Institution :

Submitted :

DADAYEV, A.N.

S.I.Beliauskii; obituary. Astron.tair. no.148:16-17 Ap '54.
(MLRA 7:8)

1. Glavnaya astronomicheskaya observatoriya Akademii nauk
SSSR.
(Beliauskii, Sergei Ivanovich, 1883-1953)

DADAYEV, A. N.

Dedication of the restored Pulkovo Observatory. Izv.GAO 20
no.1:1-13 '55. (MIRA 13:5)
(Pulkovo Astronomical Observatory)

DADAYEV, A.N.

Additional tables for calculating elements of eclipsing
systems with various ellipticity of components. Part 2:
Partial eclipse. Izv.GAO 19 no.6:122-126 '55.
(MIRA 13:5)
(Eclipses)

DADAYEV, A. N.

AUTHOR: Dadayev, A.N.

33-3-30/32

TITLE: Award of the Lenin premium for 1957 to B.K. Ioannisiani for the construction of astronomical instruments. (News item) (Prisuzhdendye Leninskoy premii 1957 goda B.K. Ioannisianni za konstruirovaniye astronomicheskikh instrumentov) (Khronika)

PERIODICAL: "Astronomicheskiy Zhurnal" (Journal of Astronomy), 1957, Vol. 34, No. 3, pp. 501-502 (U.S.S.R.)

ABSTRACT: On April 22, 1957, was the 87th anniversary of the birth of I.V. Lenin. The Committee for Lenin prizes in science and technology attached to the Council of Ministers of the USSR awarded the Lenin prize to B.K. Ioannisiani, the leading constructor of the Vavilov State Optical Institute.

Among the achievements of the recipient of the prize are the following: the nebular spectrograph of the Simeisk and Byurakansk Observatories, the 500 mm telescope at the Alma-Ata Observatory, and the new 975 mm telescope at the Abastuman Astrophysical Observatory.

At present, B.K. Ioannisiani is working on a new 2.6 m telescope for the Crimean Astrophysical Observatory.

SUBMITTED: April, 26, 1957.

AVAILABLE: Library of Congress

Card 1/1

DADAYEV, Aleksandr Nikolayevich; MIKHAYLOV, A.A., otd.red.; ARON, G.M.,
red.izd-vs; BLEYKH, E.Yu., tekhn.red.

[The Pulkovo Observatory] Pulkovskaya observatoriia. Moskva,
Izd-vo Akad.nauk SSSR, 1958. 50 p. (MIRA 12:10)

1. Chlen-korrespondent AN SSSR (for Mikhaylov).
(Pulkovo Observatory)

3(1)

AUTHOR:

Dadayev, A.N.

SOV/33-35-4-25/25

TITLE:

Astronomical Instruments at the World Exhibition in Brussels
(Astronomicheskiye instrumenty na vsemirnoy vystavke v
Bryussele)

PERIODICAL: Astronomicheskiy zhurnal, 1958, Vol 35, Nr 4, pp 679-680(USSR)

ABSTRACT: The author describes the astronomical instruments of Soviet
production exhibited in the Soviet pavilion of the Brussels
world exhibition.

SUBMITTED: April 23, 1958

Card 1/1

USCOMM-DC-60,920

3(1)

SOV/25-59-4-16/44

AUTHOR: Dadayev, A.N., Scientific Secretary, Candidate of Physical
and Mathematical Sciences

TITLE: Is It Possible to Observe an Artificial Planet? (Mozhno li
nablyudat' iskusstvennyu planetu?)

PERIODICAL: Nauka i zhizn', 1959, Nr 4, pp 37-39 (USSR)

ABSTRACT: By launching the first Soviet cosmic rocket towards the moon,
the first artificial planet was introduced into the solar
system. Since there is an intersection of the earth's orbit
with that of the artificial planet, the two planets will
approach each other every 5 years. Photographic methods are
applied for observation, especially astrographic telescopes.
M.N.Gnevyshev of the Gornaya astronomicheskaya stantsiya
(Mountain Astronomical Station) near Kislovodsk succeeded in
photographing the sodium cloud caused by the rocket. The ex-
periments carried out with electronic optic light transformers
by the Soviet astronomers A.A. Kalinyak, V.B. Nikonov and
M.M. Butslov showed that the application of multistage trans-
former systems causes the astronomical objects to be observed

Card 1/2

Is It Possible to Observe an Artificial Planet?

SOV/25-59-4-16/44

to appear much brighter. The same effect was achieved by using television in connection with a telescope, a method developed by N.F. Kuprevich of the Pulkovo Observatory. There are 2 photos and 1 diagram.

ASSOCIATION: Glavnaya astronomicheskaya observatoriya v Pulkove (Main Astronomical Observatory in Pulkovo)

Card 2/2

DADAYEV, A. N.

Selection of a site for an astronomical observatory near Ulan-Bator. Izv.GAO 21 no.6:73-82 '66. (MIRA 13:9)
(Ulan-Bator--Astronomical observatories)

DADAYEV, A.N.

PLEASE I BOOK EXPLOITATION

SOV/946

Klimayev, A. A., ed.

Stantsii v Kosmose; sbornik statej (Space Stations); Collection of

Articles; Moscow, Izd-vo AN SSSR, 1960. 44 p. 25,000 copies

printed. (Series: Akademika Nauk SSSR. Nauchno-populyarnaya

Seriya).

Resp. Ed.: A. A. Klimayev; Compiler: V. V. Fedorov; Ed. of

Publishing House: Ye. M. Klyan; Tech. Ed.: I. D. Novikova.

PURPOSE: This book is intended both for the space specialist and

the average reader interested in space problems.

CONTENTS: The book contains 73 short articles by various Soviet
authors on problems connected with space travel and the launching
of artificial earth satellites and space rockets. Some possi-
bilities of future developments are also discussed. The titles
were published in the period of 1957-1960. No perio-
dicals are mentioned. There are no references.

III. ARTIFICIAL PLANET. FIRST ROCKET ON

TASS Information. On the Launching of a Space Rocket

to the Moon [January 13, 1959] 240

Ponomarev, A. M., Candidate of Physical and Mathematical

Sciences. Is it Possible to Observe an Artificial Planet? 254

Barabashov, K. P., Active Member of the Academy of

Sciences USSR. Artificial Earth Satellites and the

Problems of Outer Space Flights [May 1959] 259

Fedorov, N. V., Doctor of Physical and Mathematical

Sciences. Launching of Space Rockets and Astronomical

Problems [March 1959] 264

TASS Information. Launching of a Space Rocket to the

Moon by the Soviet Union [September 13, 1959] 267

This Is the Way Lunkin Was Flying; [Investigation,

September 15, 1959] 270

Kazarskikh, A. G., Doctor of Physical and Mathematical

Sciences. From the Earth to the Moon [September 15, 1959] 272

Shkolnikov, I. S., Doctor of Physical and Mathematical

Sciences. Here Is the Artificial Comet [September 15, 1959] 275

Shliatorov, K. N., Candidate of Physical and Mathematical

Sciences. Launching of an Outer Space Course [September 15, 1959] 277

Il'jinushin, A. A., Corresponding Member of the Academy

of Sciences USSR. In the Future - Manned Flight [September 17, 1959] 280

Yerofeev, P. I., Candidate of Medical Sciences. From

The Moon to the Earth [September 20, 1959] 284

TASS Information. First Results of Launching the Space

Rocket to the Moon [September 21, 1959] 288

First Flight to the Moon [Friends, September 21, 1959] 291

Name : DADAYEV, A. N.

Title : Candidate of Physico-Mathematical Sciences.

Remarks : A. N. DADAYEV is the author of an article entitled "Is it Possible to Make Observations of the Artificial Planet?" which refers to the Soviet rocket shot in the direction of the Moon.

Source : M: Stantsii v Kosmose (Stations in Outer Space), a collection of articles, published by the USSR Academy of Sciences, Moskva, 1960, with foreword by Academicians A. N. Nesmeyanov and A. V. Topchiyev, p. 254.

70 10

MIKHAYLOV, A.A., otv. red.; DADAYEV, A.N., red.; VASIL'YEVA, L.M.,
red.; KAYDANOVSKIY, N.L., red.; MARKOV, A.V., red.; POTTER,
Kh.I., red.; SHCHEGOLEV, D.Ye., red.; SMIRNOVA, M.Ye., red.
izd-va; KONDRAT'YEVA, M.N., tekhn. red.

[New developments in lunar studies] Novoe o Lune; doklady i
soobshcheniya na.... Moskva, Izd-vo Akad. nauk SSSR, 1963.
426 p. (MIRA 16:5)

1. Mezhdunarodnyy simpozium po issledovaniyu luny, Pulkovo,
1960. 2. Glavnaya astronomicheskaya observatoriya Akademii
nauk SSSR, Pulkovo (for Mikhaylov, Kaydanovskiy, Markov,
Potter, Shchegolev). 3. Chlen-korrespondent Akademii nauk SSSR (for
Mikhaylov). (Moon)

DADAYEV, A.N., kand. fiz.-matem. nauk

125th anniversary of the Pulkovo Observatory. Vest. AN SSSR
34 no.11:110-117 N '64.
(MIRA 17:12)

1. Uchenyy sekretar' Glavnay astronomicheskoy observatorii
AN SSSR.

DAGAYEV, D.V., inzh.

Assembling equipment using bridge cranes outside the range of
their operation. Mont. i spets. rab. v stroi. 26 no.8:25-26
Ag '64. (MIRA 17:11)

1. Proyektno-konstruktorskaya kontora tresta Vostokmetallurg-
montazh.

DADAYEV, G.T., kandidat tekhnicheskikh nauk.

Building trenches in water saturated soils. Gidr. stroi.
25 no.4:56-57 My '56. (MLRA 9:9)

(Foundations) (Soil mechanics)

DADAYEV, G. T.

"Soil stabilization in irrigation construction" - Paper submitted
at third International Congress on Irrigation and Drainage, San Francisco, Cal.
29 Apr- 4 May 57.

C-3,800,020

DADAYEV, G.T.

AUTHOR: Dadaev, G.T. (Engineer)

100-4-1/16

TITLE: New machines for the consolidation of the ground. (Novye mashiny dlya uplotneniya grunta).

PERIODICAL: "Mekhanizatsiya Stroitel'stva" (Mechanisation of Construction), 1957, Vol.14, No.4, pp.3-6 (USSR).

ABSTRACT: Various machines for the consolidation of the ground were tested in the Geotechnical Laboratory AzNIIGIM Commission (Geotekhnicheskii Laboratoriya AzNIIGIM Komissiya) organised by the Gosstrooi SSSR. A description of the following machines is given:

Consolidating Roller A-302. This consists of a large drum with weights attached to its perimeter. The roller was designed by the Kremenchug factory of the Ministry for Building and Road-Building Machinery (Ministerstvo Stroitel'nogo i Dorozhnogo Mashinostroeniya). It is attached to the tractor C-80. Consolidation is achieved during the rotation of the drum by freely attached weights. The roller consolidates undisturbed ground efficiently to a depth of 0.8-1 m. It is also used for the consolidation of made-up ground, as embankments, dams and road embankments. Technical specifications are listed (Table 1). The consolidation action is producing a compressive effect of 170 kg/cm². The weight

1/3

New machines for the consolidation of the ground. (Cont.)
of the roller is 1800 kg. The roller covers in one shift
3000 m³ of ground.

100-4-1/16

Consolidating "Plate": ТП-3-505A. This comprises a plate-weight attached to the excavator 3-505A. It is manufactured by Kovrovsk Excavator Works of the Ministry for Building and Road-Building Machinery (Ministerstvo Stroitel'nogo i Dorozhnogo Mashinostroeniya). The machine is used for disturbed and undisturbed ground and can be used to a depth of 1-1.2 m. The consolidating plate weighs 2.5 tons and is attached along the arm of the crane. The consolidation is achieved by repeated free falls of the plate, the lifting and shifting along the crane arm effected by the crane machinery. Technical data are given in Table 2.

Consolidating Machine C-325 for Embankments. Constructed by the same factory as the consolidating "plate". It is a detachable part of the Excavator 3-505A. A pneumatic "hammer" with a double action (CCCM-501) is used. Two compressors, ПКС-6, are used. Technical data are given in Table 3. 1000-1200 m² ground/shift can be covered with a 1000 mm wide "hammer".

Consolidating Cylinder ВТ-АзНИИГИМ. This is constructed by the Bakinsk Engineering Works of the Ministry for Waterways

2/3

Dadayev, G. T.

99-58-3-4/12

AUTHOR: Dadayev, G.T., Candidate of Technical Sciences

TITLE: Tamping Roller for Soil Compacting (Trambuyushchiy katok dlya uplotneniya gruntov)

PERIODICAL: Gidrotehnika i Melioratsiya, # 3, pp 18-25 (USSR)

ABSTRACT: To diminish the filtration of irrigation water in canals and reservoirs, a special ram-roller "D - 302" was constructed by the Kremenchug zavod b. Ministerstva stroitel'nogo i dorozhnogo mashinostroyeniya (Kremenchug Plant of the former Ministry of Road Machine Building). A detailed description of this roller is given.

There are 4 photos, 2 figures and 5 tables.

AVAILABLE: Library of Congress

Card 1/1

COV-98-58-2-15/21

AUTHOR: Dadayev, G.T., Candidate of Technical Sciences

TITLE: Efficiency and Invention (Ratsionalizatsiya i izobretatel'stvo). A Ramming Roller for the Packing of Soil (Trambuyushchiy katok dlya uplotneniya grunfov)

PERIODICAL: Gidrotekhnicheskoye stroitel'stvo, 1958, Nr 2, pp 51-52 (USSR)

ABSTRACT: The purpose of the ramming roller D-302, designed by Engineer Ye.G. Strigin is to pack earth in deep layers (the bottom of main channels, water reservoir beds, etc) and the ground used for the construction of dams and road beds. The tractor-drawn ramming roller is equipped with 3 rammers which fall from a height of 1.56 m, 36 times per minute. The "settling" of the packed surface caused by one impact is 200 mm. Further details are given in the article. The roller was tested on the proving ground of the AzNIIGIM Geotechnical Laboratory (Kura-Araks lowland, Azerbaijan SSR). The USSR Gosstroy

Card 1/2

SCV-98-58-2-15/21

Efficiency and Invention. A Ramming Roller for the Packing of Soil

Acceptance Commission for testing soil packing machines approved the roller for serial production.
There is 1 diagram and 1 photo.

1. Soil tampers--Design 2. Dams--Construction 3. Roads
--Construction

Card 2/2

14(6)

SOV/112-59-1-472

Translation from: Referativnyy zhurnal. Elektrotehnika, 1959, Nr 1, p 62 (USSR)

AUTHOR: Dadayev, G.

TITLE: Deep Soil Compacting in Irrigational Structures

PERIODICAL: V sb.: Materialy Ob'yedin. nauchn. sessii po khlopkovodstvu.
Vol 3, Tashkent, Gosizdat, Uz. SSR, 1958, pp 67-79

ABSTRACT: Bibliographic entry.

Card 1/1

VOL'F, M.B.; KREYMER, M.L.; KOSTRIN, K.V.; DADAYAN, G.T.

Increasing diesel fuel resources by decreasing the production of
ligroine-kerosine fractions. Trudy Bash NIINP no. 5:32-41 '62.
(MIRA 17:10)

AKIMOV, V.S.; DADAYAN, G.T.; OL'KOV, P.L.

Increasing the effectiveness of the washing of a lump of fairly oil-free paraffin in the cylinders of the vacuum filters in dewaxing units. Trudy Bash NIINP no.5:110-117 '62. (MIRA 17:10)

L 12298-63EPF(c)/EWT(m)/BDS AFFTC/APCC Pr-4 BW/DJ/MN
S/081/63/000/005/055/075 66

AUTHOR: Dadayan, G. T., Ol'kov, P.L., Gryaznov, B. V. and Shakhsavarova, G.V.

TITLE: The use of methylethyl ketone in the deparaffinization of oils under industrial conditions

PERIODICAL: Referativnyy zhurnal, Khimiya, no. 5, 1963, 503, abstract 5P186 (Tr. Bashkirsk. n.i in-t. po pererabotke nefti, 1962, no. 5, 130-139)

TEXT: The results of an experimental run of a set up for deparaffinizing NUNPZ using methylethyl ketone (MEK) instead of acetone for deparaffinizing MK-8 oil and transformer oil are given. It was shown that the use of MEK permits reduction of the gradient of deparaffinization from 9° C (acetone) to 4° C and increases permeability of the apparatus by 20%. In addition the actual speed of filtration significantly exceeded the planned speed. For normal operation of the refrigerant section of the apparatus, under conditions of extraction of oil with solidification temperature of -55° C, it was necessary to supply it with an ethane fraction, consisting of ≥ 95-96% ethane. There were several changes in the technical layout, aimed at increasing the possibility of taking advantage of the use of MEK. B.L.

Abstractor's note: Complete translation

Card 1/1

DADAYEV, K.

From the experience of industrial training. Politekh. obuch.
no.11:31 N '59. (MIRA 13:2)

1. Luganskiy pedinstitut.
(Lugansk--Vocational education)

DADAYEV, O.M.

Alphonso, a crater on the moon. Znan.ta pratsia no.1:2⁴
Ja '59. (MIRA 12:10)

1. Ucheniy sekretar' Golovnoi astronomichnoi observatorii AN
SRSR u Pulkovi.
(Moon)

DADEYEV, V.; ZAGOSKINA, V.

In the struggle for high rank. Prof.-tekhn.oibr. 18 no.6:27-28
Je '61. (MIRA 14:7)

1. Direktor Spetsial'nogo professional'no-tekhnicheskogo uchilishcha
No.11 (g. Shuya, Ivanovskoy oblasti) (for Dadeyev). 2. Pomoshchnik
direktora po kul'turnovospitatel'noy rabote Spetsial'nogo profes-
sional'no-tekhnicheskogo uchilishcha No.11 (g. Shuya, Ivanovskoy
oblasti) (for Zagoskina).

(Ivanovo Province--Textile workers)
(Ivanovo Province--Evening and continuation schools)

L 15058-66 EWT(4)/T/EWP(1) IJP(c)
ACC NR: AP6002151 (A) SOURCE CODE: UR/0280/65/000/006/0084/0093

AUTHOR: Dadayev, Yu. G. (Moscow) 59
ORG: none 83

TITLE: Arithmetic separable codes correcting independent errors

SOURCE: AN SSSR. Izvestiya. Tekhnicheskaya kibernetika, no. 6, 1965, 84-93

TOPIC TAGS: automatic control, automatic control system, automatic control theory

ABSTRACT: Further potentialities of the Peterson modulus-type checking of arithmetic operations (IBM J. of Res. and Dev., no. 2, 1958) are explored. The error-correcting arithmetic codes are subdivided into two groups, separable and nonseparable. The nonseparable codes (such as a modified reflected binary code, or linear Brown code) have an essential disadvantage when applied to checking the operation of digital computers. This theorem is proven: A set of n-long binary sequences having k information positions and whose $n-k$ check positions are a remainder from the division of k by $p = 2^{n-k} - 1$ is an arithmetic separable error-detecting code. Limitations in the selection of code-generating moduli p_1 and p_2 are

Card 1/2

L 15058-66

ACC NR: AP6002151

discussed, as well as methods for determining code length; minimum-redundance codes are cited for moduli $p_1, p_2 < 64$ (not over 12 check positions). A single-error-correcting code can be obtained by calculating the remainders from the division of the information word by p_1 and p_2 . A decoding algorithm is illustrated by examples. Orig. art. has: 28 formulas and 2 tables.

SUB CODE: 12, 13 / SUBM DATE: 30Sep64 / ORIG REF: 001 / OTH REF: 006

QC

Card 2/2

DADAYEVA, E.A.; SHAPIRO, B.A.

Some problems in the engineering geological modeling of one of the
horizons of the Kirmaki series. Izv.AN Azerb.SSR no.7:27-31 J1 '56.
(Apsheron Peninsula--Secondary recovery of oil) (MIRA 9:10)

DADAYEVA, E.A.,

BAGBANLY, E.A.; DADAYEVA, E.A.; CHERNOMORDIKOV, M.Z.

Edge water drive in the Bibi-Eybat Supra-Kirmaki subseries. Azerb.
neft. khoz. 36 no.5:21-23 My '57. (MIRA 10:11)
(Baku--Oil field flooding)

DADAYEVA, E.A.

SARKISYAN, B.M.; DADAYEVA, E.A.

Maximum recovery factor of oil pools including flooding methods.
Azerb. neft. khoz. 36 no.6:9-11 Je '57. (MLRA 10:9)
(Oil fields--Valuation)

DADAYEVA, E.A.; GUSEYNOV, G.A.; PETROVSKIY, V.G.

Efficient production of the Maikop series in the Siazan' field.
Trudy AgNII DN no.9:229-232 '60. (MIRA 14:5)
(Siazan' region—Oil fields—Production methods)

TEGITSKIV V.A.; KHAMIDKHANOV, M.Z.; DADAYEV, A.M.; ABUDAKHANOV, ...; BEREGOVSKIY, V.N.

Welding transformers with two means of control. Izv. Akademi. Nauk. SSSR. Tekhn. nauk # no.6:41-47 '64.
(TGA-1)

I. Ozbekskiy nauchno-issledovatel'skiy institut voprosov i j
avtomatiki.

DADAZHEV, V. S.

24530 Opyty po rekonstruktsii starykh vinogradnykh nasazhdeniy na apsherone. Trudy
azер. аудиц. Науч.-Изсл. Ин-та многоlet. насаждений, Т. I., 1949, с. 122-33

67: RDPFLS' NO. 34, 1949

NOWAKOWSKI, T.K.; CHABUDZINSKA, S.; DADEJOWA, J.; DRAKOWA, D.; SIENNICKI,W.

Evaluation of the agglutination of *Corynebacterium diphtheriae*.
Pediat. polska 36 no.4:369-374 '61.

1. Z I Kliniki Pediatricznej Kierownik: prof. dr H. Hirszfeldowa
Z Kliniki Chorob Zakaznych Wieku Dziecięcego Kierownik: prof. dr
T.K. Nowakowski Z Wojewódzkiej Stacji Sanitarno-Epidemiologicznej
Kierownik: dr St. Przylecki.

(CORYNEBACTERIUM DIPHTHERIAE)

NOWAKOWSKI, Tadeusz K.; DRAKOWA, Danuta; DADEJOWA, Janina;
HAJZIK, Roman

On the possibility of limiting hospital infections. Przegl.
epidem. 17 no.3:253-255 '63.

1. Z Kliniki Chorob Zakaznych Wieku Dziecięcego Akademii
Medycznej we Wrocławiu Kierownik: prof. dr med. T.K. Nowakowski.
(CROSS INFECTION)
(COMMUNICABLE DISEASE CONTROL)

POLAND

DADEJOWA, Janina, DRAKOWA, Dnauta, and Tadeusz K. NOWAKOWSKI,
Clinic of Infectious Child Diseases (Klinika Chorob Zakaznych
Wiek Dzieciecego), AM [Akademia Medyczna, Medical Academy]
in Wroclaw (Director: Prof. Dr. T. K. NOWAKOWSKI)

"Severe Stevens-Johnson Syndrome with Paralysis of the Urinary Bladder in a 5-year Old Girl. Case Report."

Warsaw, Polski Tygodnik Lekarski, Vol 13, No 27, 1 Jul 63,
pp 993-996.

Abstract: [Authors' English summary modified] The child, suffering from congenital exudative diathesis, developed symptoms of multiform vesicular erythema -- the Stevens-Johnson syndrome. There was no ulceration of cornea; skin and mucosa changes were typical; and damage of liver and heart muscle, abdominal pains, increased tension of abdominal integuments, meteорism, and positive Blumberg test were established. Urination troubles appeared since the onset of disease, followed by signs of paralysis of the urinary bladder, and cystitis and pyelitis. A cure was achieved following three months of treatment, and no relapse noted in six months of follow up.
11 refs: 6 Polish, 4 German, 1 English.

L/1

-- 22 --

CZYZEWSKA, Janina, doc. dr. med.; CHABUDZINSKA, Stefania; DADEJOWA,
Janina; MICHALAK-BELDA, Janina; RABENDA, Celina; RUDKOWSKI,
Zbigniew

Clinical forms of skin complications of smallpox vaccination.
Pediat. Pol. 40 no.2:121-128 F '65

1. Z Kliniki Chorob Zakaznych Wieku Dziecięcego Akademii
Medycznej we Wrocławiu (Kierownik: doc. dr. med. J. Czyzewska).

Dashkov, L.O.

DASHKOV, L.O.; YEVDOMINOV, F.K.; MAVOS, Kh.V.

Setting and hermetic sealing without fittings of sight glasses
in instruments. Priborostroenie no. 2:22-23 F '61.

(MIRA 14:2)

(Glass-metal sealing)

SOKOLOV, M.M., inzh.; DADENKO, Ya.N., inzh.

Study of the operation of the automatic brakes of passenger trains. Trudy Khab. IIT no.16:167-175 '64 (MIRA 18:2)

ROTENBURG, Iosif Solomonovich, kand. tekhn. nauk, dots.; POLYAKOV, Mikhail Pavlovich, kand. tekhn. nauk, dots.; ZOLOTAREV, Nikolay Vasil'yevich, kand. tekhn. nauk, dots.; LAVROVSKIY, Vadim Aleksandrovich, inz' DADENKOV, Yu.N., doktor tekhn. nauk, prof., retsenzent; BEGAM, L.G., kand. tekhn. nauk, retsenzent; BORODINA, N.N., red.

[Designing bridge crossings over large streams] Proektirovaniye mostovykh perekhodov cherez bol'shie vodotoki. Moskva, Vysshiaia shkola, 1965. 335 p. (MIRA 18:6)

1. Chlen-korrespondent AN Ukr.SSR (for Dadenkov). 2. Rukovoditel' laboratorii mostovoy gidravliki i hidrologii Tsentral'nogo nauchno-issledovatel'skogo instituta svyazi (for Begam).

DIDEKOV, Yu. N. and Zubriy, F. Ye.

"Gidrotekhnicheskiye Raschety" (Ucheboye Posobiye dlya
Shridentov Dorozhnostriitel'nykh i Gidromeliorativnykh Spetsial'nostey
Vuzov i Tekhnikumov)

Kiev Gosetekhizdat Ukrayny 1949 ch. 1
Gidravlicheskiye Raschety Vodootvodnych Rusel
216 pages

DADYKOV, Yu. N., et al.

Hydrolicheskii raschet kanalov (hydraulic calculations on canals). Kiev,
Ukrtekhnizdat, 1951. 132 p.

1. DADENKOV, YU. N.
 2. USSR (600)
 4. Hydrodynamics
 7. Fluid flow with changing pressure through openings, and the inflow of fluid into a vessel. Gidr. i mel. 4, no. 10, 1952.
9. Monthly List of Russian Accessions, Library of Congress, January, 1953. Unclassified.

PA 248T73

DADENKOV, YU. N.

USSR/Engineering - Hydraulics, Canals Jul 52

"Hydraulic Calculation of Canals of Trapezoidal
Cross-Section," Cand Tech Sci Yu. N. Dadenkov

Gidrotekh i Meliorats, No 7, pp 70-74

Discusses design practice with new norms for permissible velocities of flow, when permissible mean velocity depends not only on type of ground and canal lining but also on hydraulic radius. Demonstrates new method of hydraulic calcns of canals on 3 examples, concluding that application of new norms introduces no considerable complications into calcn technique.

248T73

DADENKOV, Yu.N.

Determining the loss of pressure in canals and pipes. Gidr.stroi, 22 no,
6:33 Je '52.
(MLRA 6:6)
(Hydrodynamics)

DADENKOV, Yu. N.

Applied Mechanics Reviews
Vol. 7 No. 4
Apr. 1954
Hydraulics, Cavitation, Transport

U156. Dadenkov, Yu. N., Determining the loss of pressure
in canals and pipes (in Russian), Gidrotekh. Stroit. no. 6, p. 33,
June 1953.

① 7

RHS

Гидравлика и т.д.

UGINCHUS, Aleksandr Antonovich; prof., doktor tekhn.nauk; DADENKOV, Yu.N.,
doktor tekhn.nauk, prof., retsenzent; GORELIKIN, A.V., kand.tekhn.
nauk, red.; ZALOGIN, N.S., red.izd-va; RUDNINSKIY, Ya.V., tekhn.red.

[Hydraulics, hydraulic machinery and fundamental of watersupply
for agriculture] Gidravlika, gidravlicheskie mashiny i osnovy
sel'skokhozisistvennogo vodosnabzheniya. Kiev, Gos.nauchno-tekhn.
izd-vo mashinostroit. lit-ry, 1957. 251 p. (MIRA 11:2)
(Hydraulic engineering) (Water supply, Rural)

124-58-9-9870

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 9, p 57 (USSR)

AUTHOR: Dadenkov, Yu. N.

TITLE: The Integration of the Differential Equations of Outflow Rates in
Flood Reservoir Routing (Integrirovaniye differentsial'nogo
uravneniya sбросных расходов)

PERIODICAL: Tr. Kiyevsk. avtomob.-dor. in-ta, 1957, Nr 3, pp 117-120

ABSTRACT: An analytical solution is offered for the task of determining the outflow rates relative to reservoir flood routing. Therein given graphic or analytical functional relationships are assumed between the head acting on the structure and the outflow rates Q and reservoir capacities W . The relationship between the inflow into the reservoir and the time is also assumed to be known. In the integration of the fundamental differential equation of the outflow rates the author assumes the magnitude of the derivative dW/dQ to be approximately constant over a small interval of head values acting on the structure. The linear first-order differential equation thus obtained can be integrated for any generic law governing the inflow of the water into the reservoir. Relative to the aboveindicated assumption, the author refers to the analogous

Card 1/2

124-58-9-9870

The Integration of the Differential Equations of Outflow Rates (cont.)

procedure employed in the integration of the equation of a nonuniform motion in canals. The paper contains a number of typographical errors.

B. I. Bek-Marmarchev

1. Differential equations--Applications 2. Fluid flow--Velocity 3. Inland waterways--Analysis

Card 2/2

BABKOV, V.F., BELEN'KIY, I.I., BIRULYA, A.K., prof. doktor tekhn. nauk.;
BIRULYA, V.I., DADENKOV, Yu. N., ZAMAKHAYEV, M.S., KAZANSKIY, K.A.,
KRASNOD, L.L., KUDRYAVTSEV, A.S., TERENETSKIY, K.S., MAL'KOVA,
N.V., tekhn. red.

[Handbook for road construction engineers; planning highways]
Spravochnik inzhenera-dorozhnika; proektirovaniye avtomobil'nykh
dorog. Moskva, Nauchno-tekhn. izd-vo avtotransp. lit-ry, 1958. 438 p.
(MIRA 11:10)

(Roads)

DADENKOV, Yuriy Nikolayevich, doktor, tekhn. nauk, prof.; ZUBRIY,
Petr Yefremovich, kand. tekhn. nauk, dots.; ALEKSANDROVSKIY, A.,
red.; KORSAKEVICH, A., red.; FRIDMAN, S., tekhn. red.

[Hydraulic calculations of open channels] Gidravlichеские рас-
четы открытых русел. Kiev, Gos. izd-vo lit-ry po stroit. i
arkhit. USSR, 1961. 200 p. (MIRA 14:5)
(Hydraulics)

DADENKOV, Yuriy N.

"Higher education in the Ukrainian SSR"

"Development of middle specialized education in the Ukrainian SSR"

report to be submitted for the United Nations Conference on the
Application of Science and Technology for the Benefit of the Less
Developed Areas - Geneva, Switzerland, 6-20 Feb 63.

DADENKOV, U.N.

"The development of higher and secondary special education^{1/} in the
Ukrainian SSR."

Report submitted to the Conf. on the Application of Science and Technology
for the Benefit of the Less Developed Areas.
Geneva, Switzerland 4-20 February 1963

DADENKOV, Yu.

Development of education. Nauka i zhyttia 12 no.10:34-35 0
'62. (MIRA 16:1)

1. Ministr vysshego i srednego spetsial'nogo obrazovaniya UkrSSR,
chlen-korrespondent AN UkrSSR.
(Ukraine--Education, Cooperative)

DADENKOVA, M. N.

Dissertation: "Anisotropic Dispersion of Light and the Orientation Order in Liquids." Cand Phys-Math Sci, Kiev Pedagogical Inst, Kiev, 1954. (Referativnyy Zhurnal -- Khimiya, Moscow No. 16, 'ug 54)

SO: SUM 393, 28 Feb 1955

ROSHCHINA, G.P.; DAIDENKOVA, M.M.

Investigating the molecular dispersion of light in liquid solutions.
Dep.AN URSR no.6:448-452 '54. (MLRA 9:9)

1.Kiiv'kiy dershavniy universitet.Predstaviv diysniy chlen AN URSR
V.E.Lashkar'ev.
(Light--Scattering) (Solution (Chemistry))

DADENKOVA, M. N. and ROSHCHINA, G. P.

"Investigation of the Integral Intensity of the Isotropic and Anisotropic Portions of Rayleigh Scattering of Light in Binary Liquid Solutions", a paper presented at the second conference on the Liquid State of Matter, Kiev, 30 May to 3 June 1955, Usp. Fiz. Nauk. April 1955.

DADENKOVA, M.M.

ROSHCHINA, G.P. [Roshchina, H.P.]; DADENKOVA, M.M.

Intensity of the isotropic light dispersion in alcohol solutions.
Nauk povid. KDU no.1:47-48 '56. (MIRA 11:4)
(Alcohols) (Light--Scattering)

DADENTOVA

USSR/Optics - Physical Optics.

K-5

Abs Jour : Referat Zhur - Fizika, No 3, 1957, 7735

Author : Roshchina, Dadentova, Tarapon.

Inst :

Title : Investigation of Molecular Scattering of Light in
Alcohol Solutions.

Orig Pub : Woi. fiz. zh., 1956, 1, No 2, 183-192

Abstract : The influence of the temperature and concentration on the intensity of the isotropic and anisotropic portions of the Rayleigh scattering was investigated for binary solutions of alcohols (ethyl and butyl) both in each other, as well as in solvents having in the liquid state a molecular structure that is different from that of alcohols (glycerin, acetone, benzol, CCl_4 , and dioxane). Use was made of the classification of solutions, resulting from data of X-ray diffraction, according to which in first approximation the solutions can be separated into

Card 1/3

- 36 -

DADENKOVA, M. N.

Category: USSR / Physical Chemistry - Liquids and amorphous bodies.

B-6

Gases.

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 29808

Author : Dadenkova M. N.

Inst : Ukrainian Agricultural Academy

Title : Anisotropic Scattering of Light and Orientation Order in Liquids

Orig Pub: Nauch, tr. Ukr. s.-kh. akad., 1956, 8, 421-424

Abstract: To elucidate the correlation between light scattering and molecular structure of liquid, a study was made, by the method of visual photometry of the intensity of two polarized components of light scattered by water, alcohols, paraffins, ketons, substances that crystallize according to the cubic system (cyclohexane, cyclohexanol (I), camphene (II), CCl_4), and dihalogen substituted benzenes (III). The results show that in the case of liquids of the same structural type the shape of intensity curves of the scattered light is similar. Liquids obtained from crystals having an isotropic disposition of molecules (I, II), show weak anisotropic scattering, which increases with rising temperature. Intensity of anisotropic scattering by liquids obtained

Card : 1/2

-2-

Category: USSR / Physical Chemistry - Liquids and amorphous bodies. Gases. B-6

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 29808

by melting crystals having considerable anisotropy (III), decreases with rising temperature. Also studied were the binary liquid solutions: chlorobenzene in bromobenzene and iodobenzene, chlorophorm in bromophorm, acetic acid in water, butyric acid in water, phenol in water, nitrobenzene in hexane, hexane in octane and p-dichlorobenze in p-dibromobenzene. In cases involving complete molecular miscibility the scattering is monotonously dependent upon concentration; if the components are not molecularly miscible, a strongly manifested maximum is observed. Thus it was confirmed that change in intensity of molecular light scattering, with change in temperature, is connected with the orientation order that exists in the liquid.

Card : 2/2

-3-

11
The influence of rotation of light scattering and its connection with temperature measurements in liquids. M. A. Tsvetkov and G. P. Vlasov. Sov. Phys. Dokl. 26(1981), No. 1, p. 103. Moscow, Nauka, 1980, p. 103. The authors (17-091060) - in order to bring out more acutely the nature of the nematic and isotropic parts of the Rayleigh scattering in the case of the allotropic transition - turned to the case of the aliphatic acids. In addition to the nematic liquid, was studied on the same system of acids in the form of a mixed liquid (MeOH + H₂O + CH₃OH). Several benzene (1), heptane, octane, PrCH₂NO₂, CCl₄, acetone, toluene, CHCl₃, and CHBr₃ were used. The effect of the temp. and the concn. on the intensity of the scattered light was also studied for binary mixtures of the acids with other liquids, which have a similar molecular size and state and which show the same type of intermolecular bonding - i.e., the alcohols or the paraffins. The curves which give the intensity of the nematic and isotropic scattering as a function of the temp., look quite similar to each other; the intensity of the isotropic scattering (or that of the nematic) is a function of the critical parameter which characterizes the intramolecular interactions. On the basis of the measurements of the intensities of isotropic scattering the isothermic compressibility of these liquids is

DADENKOVA M.M., ROSHCHINA O.P.

influence of the concentration of the reactants on the rate of polymerization of acrylonitrile in the presence of Al(OH)_3 in H_2O , acetone and CHCl_3 . The influence of the concentration of the reactants on the rate of polymerization of acrylonitrile in the presence of Al(OH)_3 in H_2O , acetone and CHCl_3 was studied by the ultraviolet light absorption method. The results obtained are presented in Figures 1-3.

APPROVED FOR RELEASE: 07/12/2001

CIA-RDP86-00513R000509520011-8"

SOV/58-59-8-18976

Translated from: Referativnyy Zhurnal Fizika, 1959, Nr 8, p 273 (USSR)

AUTHORS: Dadenkova, M.N., Roshchina, G.P.

TITLE: Light Scattering in Solutions Consisting of Components of Different Molecular Structure

PERIODICAL: Nauchn. tr. Ukr. s.-kh. akad., 1957, Vol 9, pp 489-493

ABSTRACT: The concentration and temperature dependences of molecular scattering were studied in the following nine binary solutions:

C_2H_5OH - C_6H_6 , C_4H_9OH - C_6H_6 , C_2H_5OH - CCl_4 , C_4H_9OH - CCl_4 ,
 C_2H_5OH - C_4H_9OH , C_2H_5OH - $C_3H_5(OH)_3$, C_2H_5OH - C_3H_2O , C_4H_9OH -
- C_3H_2O and C_4H_9OH - $C_2H_5(OH)_3$.

The measurements were carried out at temperatures of 20° , 50° and $75^\circ C$. The scattered light was observed at an angle of 90° to the incident ray through a polarization prism in its two different orientations. In one orientation a fraction (6/13) of the anisotropic part of the molecular scattering traversed the prism. In the other position the remaining fraction of anisotropic scattering was obtained, as well as isotropic

Card 1/2

SOV/58-59-8-18976

Light Scattering in Solutions Consisting of Components of Different Molecular Structure

scattering including density and concentration scattering (CS). The authors were particularly interested in CS, which, in their opinion, can serve as a measure of the immiscibility of the solution components. The magnitude of CS was determined for the series of solutions from the deviation of the concentration dependence of isotropic-scattering intensity from a straight line. An estimate of CS was made for the above-mentioned solutions. In particular, it was found that solutions of ethanol (1) in butanol (2) do not give rise to CS. On the other hand, CS is observed in solutions of (1) and (2) in benzene and glycerine.

card 2/2

DADENKOVA, M.M.; BOYKO, I.I.; YEMEL'ENKO, I.N.

Molecular scattering of light and its relation to the structure of
polymer solutions placed in an electric field. Ukr. fiz. zhur. 9 no.
5:559-563 My '64. (MIRA 17:9)

1. Ukrainskaya sel'skokhozyaystvennaya akademiya, Kiyev.

BERGEL'SON, I.G.; DADERKO, N.K.; PAROL', N.V.; PETUKHOV, V.M.;
ALEKSANDROVA, A.A., red.; SMUROV, B.V., tekhn. red.

[Receiving and amplifying tubes with increased reliability]
Priemno-usilitel'nye lampy povyshennoi nadezhnosti; spravochnik.
Moskva, Izd-vo "Sovetskoe radio," 1962. 647 p. (MIRA 15:7)
(Electron tubes--Handbooks, manuals, etc.)

DADERLAT, Mihai, ing.

Equipment for greasing motorcars. Rev. transport 10 no. 98412-415
S'63

DADIANI, B. N.; URUSHADZE, M. Sh.

Comparative evaluation of various therapeutic technique in taeniasis.
Med. paraz. i paraz. bol. 24 no.4:306-308. O-D '55. (MLRA 9:1)

1. Iz kafedry epidemiologii s meditsinskoy parazitologiyey
Tbilisskogo instituta usovershenstvovaniya vrachey (dir. instituta
- prof. G.R. Zundadze, zav. kafedry - prof. N. G. Kamalov)
(TAPEWORM INFECTION, therapy
comparison of various methods)
(ANTHELMINTICS, therapeutic use,
taeniasis, comparison of various drugs)

DADIANI, K.P.

Use of precast reinforced concrete in construction projects under
the Georgian Administration of Water Power Developments. Energ.
stroi. no.20:41-43 '61. (MIRA 15:1)

1. Trest "Gruzgidroenergostroy".
(Georgia--Precast concrete construction)

DADIANI, M.D.

Method for studying the receptors of the lower jaw in a protracted experiment. Trudy Inst. fiziol. 9:64-67 '60. (MIRA 14:3)

1. Laboratoriya kortiko-vistseral'noy patologii (zaveduyushchiy - I.T.Kurtsin) Instituta fiziologii im. I.P. Pavlova.
(RECEPTORS (NEUROLOGY)) (JAWS)
(REFLEXES)

DADIANI, M.D.

Healing of an extraction wound of the lower jaw under varying functional conditions of the cerebral cortex. Trudy Inst. fiziol. (MIRA 14:3)
9:338-342 '60.

1. Laboratoriya kortiko-vistseral'noy patologii (zaveduyushchiy -
I.T. Kurtsin) Instituta fiziologii im. I.P.Pavlova.
(JAWS—WOUNDS AND INJURIES)
(CEREBRAL CORTEX)

OREKHOV, V.G.; PYSTOGOV, V.I.; DADIANI, M.K.

Investigating the effect of incision joints on the stressed
state of high arched dams. Soob. AN Gruz. SSR 39 no.1:123-128
(MIRA 18:10)
Jl '65.

1. Institut stroitel'noy mekhaniki i seysmostoykosti AN
GruzSSR. Submitted January 19, 1965.

DADIC, A.

Electric conductivity of the complex cyanides of the Prussian blue
type. In English. Croat.chem.acta 31 no.3:101-106 '59. (EEAI 9:4)

1. Laboratory for General and Inorganic Chemistry, Faculty of Science,
University of Zagreb, and Structural-Inorganic Department, Institut
"Ruđer Bošković," Zagerb, Croatia, Yugoslavia.
(Electric conductivity) (Cyanides) (Prussian blue)

ONDREJ, M.

What is "MOTR" (microwave amplifier by serial number of model only)?
p. 22.

VESTE VZEMALJAR. (Technicka knjiga) Zagreb, Yugoslavia. Vol. 10, no. 3/1, 1970.

Handy list of the East European accessories (E.E.A.) ED, U.S.S.R., no. 1, Aug. 1970.
Index.

Dadić, M.

3
1-
/ Electrical conductivity of complex cyanides of the Prussian blue type. M. Dadić (Univ. Zagreb, Yugoslavia). *Croat. Chem. Acta* 31, 101-103 (1959) (in English).—Insol. $\text{Fe}_4[\text{Fe}(\text{CN})_6]$ (I) was prepd. according to Weiser, et al. (*CA* 36, 2460). I dissolved in concd. HCl at 100°, washed with H₂O, and dried at 120° gave a light-blue powder (II). Sol. Prussian blue (III) was prepd. by adding 0.015 mole of K₄[Fe(CN)₆] to a soln. of 0.010 mole of FeCl₃; and the complex was pptd. with NaCl, centrifuged, and dried at 120°, yielding a dark-blue cryst. powder of KFe[Fe(CN)₆]. Similarly were prepd. KCoFe(CN)₆ (IV), KNiFe(CN)₆ (V), KMnFe(CN)₆ (VI), and KCuFe(CN)₆ (VII). The elec. resistivity of I to VII was measured in a press (cf. *CA* 48, 7357d) at 19.5-20.5° at 22 ± 1 v. and 50 cycles/sec. Powd. Ge obtained from a single crystal of known sp. resistivity was used as a standard. The resistivity decreased with pressure to a const. value for I, II, III, and increased for IV, V, and VI. The max. pressure applied was 5300 atm. Abrupt changes in resistivities within an order of magnitude occurred for III, IV, and V at approx. 4000 atm. The sp. resistivity of I to VI lay between 10³ and 10⁴ ohm cm., which is characteristic of intrinsic semiconductors. S. Maricic (CCA)

KAMENAR, B.; BAN, Z.; DADIC, M.

A press for electric-resistivity measurements of powders. Croat
chem acta 31 no.4:159-161 '59. (EEAI 9:9)

1. Department for Structural and Inorganic Chemistry, Institute
"Ruder Boskovic", Zagreb, Croatia, Yugoslavia.
(Powders) (Electric resistance)
(Electric measurements)

DADIC, M.

Lab. of General + Inorganic Chemistry,
Faculty of Science,

Distr: 4E2c(j)/4E3d

/ Symmetrical and mixed bis(alkylmercuric) sulfides.
M. Dadić and D. Gruden (Univ. Zagreb, Yugoslavia).
Croat. Chem. Acta 32, 39-42 (1960) (original in English).—
Since the prepn. of bis(alkylmercuric) sulfides (Ia) with HgS
gave impure products with poor yields, Na₂S·9H₂O (I)
was used instead. Sym. sulfides were prep'd. by mixing
warm satd. alc. solns. of I (in slight excess) with those of
corresponding alkylmercuric bromide (alkyl group and
m.p. given): Me, 145°; Et, 105°; Pr, 70°; iso-Pr, 60.5°;
Bu, 60°. The yields were 90-7%. (MeEtHg)₂S, m. 73.5°,
and (MePrHg)₂S, m. 81°, were prep'd. similarly. The
yields were 80 and 78%, resp. The change of color to
brown or black on exposure to light and soiy, in org. solvents
increased with the length of the alkyl chain.

9. Marinkić (CEA)—

4
1-BW(BW)
2-9af(NB)(may)
2

DADIC, M., Ph. D.; FLES, D. (Zagreb)

Studies in the propiothiolactone series. III. Preparation of
L- -acylamino- -propiothiolactones via carbodiimide method.
Croat chem acta 33 no.2:73-75 '61.

1. Pharmaceutical Faculty, University of Zagreb, and "Pliva"
Pharmaceutical and Chemical Works, Zagreb, Croatia, Yugoslavia
2. Organsko-kemijska industrija, Zagreb; Member of the Editorial
Board, "Croatica chemica acta, Arhiv za kemiju" (for Fles).

DADIC, M.

Some amino acid esters and their cyclic anhydrides. Bul sc Youg
9 no. 1/231 F. Ap '64

1. Institute of Organic Chemistry and Biochemistry, Pharmaceutical
Faculty, University of Zagreb.

DADIC, M.; FLES, D.

Studies in the propiothiolactone series. IV. Reaction of
 β -benzylmercaptopropionyl chloride with benzene in the
presence of aluminum bromide. Croit chem acta 36 no.1:
37-41 '64.

1. Pharmaceutical Faculty, University of Zagreb, Zagreb.

DADIC, M.

L- α -(p-toluenesulfonamide)- β -propiothiolactone via carbodiimide
method. Bull. Soc. Young 9 no. 3:65 Je 1951.

i. Institute of Organic Chemistry, Physical and Biochemical
Institute, University of Zagreb, Zagreb.

DADIC, Zack (Dubrovnik)

On the application of the superposition of the uniform velocity
in a straight line at determination of the orbits of comets.
Glass mat fiz Hrv 17 no.1/2:77-80 '62 [publ. '63].

DADIKYAN, M.G.

State of the stock of Sevan trout according to observations made
in 1950. Izv.AN Arm.SSR.Biol.i sel'khoz.nauki. 4 no.12:1143-1159
'51. (MLRA 9:8)

1. Sevanskaya gidrobiologicheskaya stantsiya Akademii nauk Armyanskoy
SSR.
(Sevan, Lake--Trout)

DADIKYAN, M.G.

A case of the arrival of a flaming flock in the Lake Sevan Basin.
Izv.AN Arm.SSR.Biol.i sel'khoz.nauki. 5 no.3:85-88 '52. (MLRA 9:8)

1. Sevanskaya gidrobiologicheskaya stantsiya Akademii nauk
Armyanskoy SSR.

(SEVAN, LAKE--FLAMINGOS)

DADIKYAN, M.G.

A new case of the stopping of a flamingo flock at Lake Sevan. Izv.
AN Arm.SSR.Biol.i sel'khoz.nauki 6 no.9:103-106 '53. (MLRA 9:8)

1. Sevanskaya gidrobiologicheskaya stantsiya AN Armyanskoy SSR.
(Sevan, lake--Flamingos)

DADIKYAN, M.G.

Feeding habits of Sevan trout. Trudy Sevan.gidrogiol.sta. 14:
5-76 '55. (MLRA 9:8)
(Sevan, Lake--Trout)

DADIKYAN, M.G.

Lowering the water level of Lake Sevan and its effect on the biology
of fish and the fish trade. Izv. AN Arm. SSR Biol. i sel'khoz. nauki
10 no.1:69-76 Ja '57. (MLRA 10:4)

1. Sevanskaya gidrobiologicheskaya stantsiya Akademii nauk Armyanskoy
SSR.
(SEVAN, LAKE--FISHES)

DADIKYAN, M.G.

Dynamics of the stocks of Sevan trout according to the observations
of 1951-1954. Trudy Sevan. gidrobiol. sta. 15:197-233 '57.
(Sevan, Lake--Trout) (MLRA 10:8)

DADIKYAN, M.G.

Rare occurrence of the lesser black-backed gull in the Sevan Lake basin. Izv.AN Arm.SSR.Biol.nauki 15 no.7:95-96 Jl '62.

(MIRA 15:11)

1. Sevanskaya gidrobiologicheskaya stantsiya AN Armyanskoy SSR.
(SEVAN LAKE REGION—LESSER BLACK-BACKED GULL)

DADIKYAN, M.G.

Materials on the biology of young trout of Lake Sevan in their lacustrine period of life. Trudy Sevan. gidrobiol. sta. 16:97-113 '62.
(Sevan, Lake---Trout) (MIRA 16:3)

DADIKYAN, M.G.

Results of the introduction of whitefishes (*Coregonus lavaretus maraenoides* Poljakow, *C. lavaretus ludoga* Poljakow) in Lake Sevan.
Izv. AN Arm. SSR. Biol. nauki 17 no.6:41-48 Je '64.

1. Sevanskaya gidrobiologicheskaya stantsiya AN ArmSSR. (MIRA 17:12)